Rhodiola SAP

Science-based nutraceutical for mental fatigue and stress

Rhodiola SAP provides a standardized dose of *Rhodiola rosea* (*R. rosea*) root extract, commonly used in herbal medicine as an adaptogen to help temporarily relieve symptoms associated with stress, such as mental fatigue and sensation of weakness. **Rhodiola SAP** can be used to enhance cognitive function, including mental focus and stamina. *R. rosea* extract contains a number of major bioactive compounds such as rosavin and salidroside, to which can be attributed its adaptogenic effects; it is also a source of antioxidants such as *p*-tyrosol, gallic acid, caffeic acid, chlorogenic acid, and flavonoids. **Rhodiola SAP** can be used to alleviate depression, anxiety, life-stress symptoms, and mood disorders. In addition, **Rhodiola SAP** can be useful as an adjunctive support for improving the efficacy of cancer therapy.

ACTIVE INGREDIENTS

Each vegetable capsule contains:

Roseroot (*Rhodiola rosea*) root extract, 5% rosavins, 1.9% salidrosides...... 200 mg

Other ingredients: Vegetable magnesium stearate, microcrystalline cellulose and silicon dioxide in a capsule composed of vegetable carbohydrate gum and purified water.

This product is non-GMO and vegan friendly.

Contains no: Gluten, soy, wheat, corn protein, eggs, dairy, yeast, citrus, preservatives, artificial flavour or colour, starch, or sugar.

Rhodiola SAP contains 60 capsules per bottle.

DIRECTIONS FOR USE

Adults: Take 1–2 capsules daily or as directed by your healthcare practitioner. Not to be taken immediately before bedtime.

INDICATIONS

Rhodiola SAP can:

- Help relieve stress-related symptoms, such as mental fatigue and sensation of weakness.
- · Promote cognitive function, such as mental focus and stamina.
- Help alleviate anxiety, depression, and other mood disorders.
- Be used as an adjunct for enhancing the efficacy of cancer therapy.

CAUTIONS AND WARNINGS

Do not use this product if you have bipolar disorder or bipolar spectrum disorder. Consult a healthcare practitioner if symptoms persist or worsen. Consult a healthcare practitioner prior to use if you are pregnant or breast-feeding. Consult a healthcare practitioner prior to use if you are taking antidepressant medication, hormone replacement therapy (HRT), or birth-control pills. Discontinue use if you experience irritability or insomnia. Do not use if seal is broken. Keep out of reach of children.

PURITY, CLEANLINESS AND STABILITY

All ingredients listed for each **Rhodiola SAP** lot number have been tested by an ISO 17025–accredited third-party laboratory for identity, potency, and purity.



351, Rue Joseph-Carrier, Vaudreuil-Dorion, Quebec, J7V 5V5 T 1 866 510 3123 • F 1 866 510 3130 • www.nfh.ca



Helps improve mental fatigue and stamina Aide à réduire la fatigue et à accroitre l'endurance mentale

ingredients have been tested by a third-party laboratory f identity, potency, and purity les ingrédients ont été testés par un laboratoire externe p l'identité La puier arce et la puraté

NPN 80073937

Scientific Advisory Panel (SAP):

adding nutraceutical research

to achieve optimum health

INTRODUCTION

Rhodiola rosea (R. rosea)-also known as roseroot, golden root, and Arctic root-has a long-standing reputation of use in East-European and Asian traditional medicines for its valuable applications in nervous-system stimulation, including enhancement of work performance, improvement of depression and sleep disturbances, and management of fatigue, as well as high-altitude sickness. Rhodiola has also been widely used for its cardio- and hepatoprotective effects, as well as for its immunotropic, antiviral, anti-inflammatory, and antibacterial activities.

R. rosea contains an array of antioxidant compounds, including p-tyrosol, organic acids (gallic acid, caffeic acid, and chlorogenic acid), and flavonoids (catechins and proanthocyanidins).^[1] The polyphenol content of R. rosea is approximately 41.4 ± 3.41%, and the major bioactive compounds to which are attributed the medicinal properties of R. rosea are rosavin, salidroside (also called rhodioloside and rhodosin), and p-tyrosol, and it includes other key compounds such as rhodioniside, rhodiolin, rosin, rosarin, and rosiridin.[1]

ADAPTOGENIC EFFECTS

Adaptogens are substances that enable the normalization of physiological responses to various stressors, enhance work performance, and increase the stress tolerance of the body.[1][2] Rhodiola is considered an adaptogen, due to its ability to enhance the resistance to stress and mitigate stress-induced impairments and disorders.^{[1][2]} Substantial evidence from multiple randomized, controlled clinical trials demonstrates the adaptogenic effect of R. rosea root extract. In one double-blind, randomized, controlled clinical trial, a 70% ethanol water extract of R. rosea root orally administrated in daily doses of 288-680 mg (1-4 tablets) for 2-6 weeks significantly improved mood, cognitive performance, attention, and fatigue in stress-related conditions.[3] The adaptogenic properties, cardiopulmonary protective effects, and central nervous system activities of R. rosea have been attributed primarily to its ability to influence levels and activity of biogenic monoamines-such as serotonin, dopamine, and norepinephrine-in the cerebral cortex, brain stem, and hypothalamus. In addition, R. rosea can prevent catecholamine release, cyclic AMP elevation in the myocardium, and the depletion of adrenal catecholamines induced by acute stress. R. rosea's adaptogenic activity has also been linked to its ability in activating both central and peripheral opioid receptors.

MENTAL HEALTH AND DEPRESSION

Several studies attest that R. rosea exerts neuroprotective effects through the suppression of oxidative stress, neuroinflammation, and excitotoxicity in brain tissues.^[4] Activation of microglia is a major characteristic in the pathogenesis of Alzheimer's disease; activated microglia can generate inflammatory mediators, leading to neuroinflammation. In an animal study, R. rosea constituents (rosarin and salidroside) mitigated inflammatory mediators in activated microglia. Although limited, evidence-based data supports the effectiveness of R. rosea for depression in adults. Several studies in humans have demonstrated the multitargeted effects of R. rosea on various levels of regulatory responses to stress, indicating its beneficial effects on mood.[6] In one study, 57 individuals with mild to moderate depression were randomized to 12 weeks of standardized, 340 mg/d R. rosea extract or 50 mg/d of sertraline. Although less effective than sertraline in reducing depressionrelated symptoms, R. rosea extract resulted in lesser adverse events and was better-tolerated.^[7] In another study, 80 mildly anxious participants were randomized into two different groups of either R. rosea standardized extract (400 mg/d) or placebo for 14 days. R. rosea demonstrated a significant reduction in self-reported anxiety, stress, anger, confusion, and depression, with profound improvements in total mood.^[8]

In an open-label study of individuals with life-stress symptoms, a dose of 200 mg twice daily of *R. rosea* for 4 weeks was found to significantly improve the symptoms to a clinically relevant degree.^[9]

FATIGUE MANAGEMENT

A number of systematic reviews have determined that R. rosea standardized extracts alleviate stress-induced fatigue.[10][11][12] Daily doses (288-680 mg) of R. rosea were found to significantly reduce fatigue and improve attention in individuals with fatigue syndrome.^[3] Even in healthy adults, randomized controlled trials have established the antifatigue effects of R. rosea standardized extracts during fatigue and under stressful conditions.[13][14][15]

CANCER

Animal studies provide evidence to the anticarcinogenic effects of R. rosea. In animal tumour models, treatment using R. rosea extract, alone or in combination with the antitumour agent cyclophosphamide. improved the antitumour and antimetastatic efficacy, along with reduced drug-induced toxicity.^{[16][17]} Also, preliminary clinical research in humans indicates the beneficial role of *R. rosea* in patients with bladder cancer.^[18] However, more well-designed human studies are needed to confirm these observations.

SAFETY

Studies show that R. rosea extracts are generally well-tolerated. Adverse events, if any, are mostly of mild intensity, with no serious adverse events reported.^{[9][10][11][12]} R. rosea could potentially exert estrogenic effects in women.^[19] The complex nature of interaction of components of *R. rosea* with estrogen receptors in different tissues remains to be clarified.[19] Hence, individuals undergoing hormone replacement therapy or using birth-control pills need to exert caution before consuming R. rosea extract.

REFERENCES

- Chiang, H.M. et al. "Rhodiola plants: Chemistry and biological activity." Journal of Food and Drug Analysis, Vol. 23, No. 3 (2015); 359-369.
- 2. Panossian, A., G. Wikman., and J.Sarris. "Rosenroot (Rhodiola rosea): Traditional use, chemical composition, pharmacology and clinical efficacy." *Phytomedicine*. Vol. 17, No. 7 (2010): 481–493. Olsson, E.M., B. von Scheele, and A.G. Panossian. "A randomised, double-blind, placebo
- 3 controlled, parallel-group study of the standardised extract shr-5 of the roots of *Rhodiola rosea* in the treatment of subjects with stress-related fatigue." *Planta Medica*. Vol. 75, No. 2 (2009): 105-112
- 4. Nabavi, S.F., et al. "Rhodiola rosea L. and Alzheimer's disease: From farm to pharmacy."
- Phytotherapy Research. Vol. 30, No. 4 (2016): 532–539. Lee, Y., et al. "Anti-inflammatory and neuroprotective effects of constituents isolated from Rhodiola rosea." Evidence Based Complementary and Alternative Medicine. Vol. 2013 (2013): 5 514049.
- 6. Amsterdam, J.D., and A.G. Panossian. "Rhodiola rosea L. as a putative botanical antidepressant." Phytomedicine. Vol. 23, No. 7 (2016): 770–783.
- 7
- 8.
- Fryohieuchie vol. 25, No. 7 (2010), 770-783.
 Mao, J.J., et al. "Rhodiola rosea versus sertraline for major depressive disorder: A randomized placebo-controlled trial." *Phytomedicine*. Vol. 22, No. 3 (2015): 394–399.
 Cropley, M., A.P. Banks, and J. Boyle. "The effects of *Rhodiola rosea* L extract on anxiety, stress, cognition and other mood symptoms." *Phytotherapy Research*. Vol. 29, No. 12 (2015): 1934–1939.
 Edwards, D., A. Heufelder, and A. Zimmermann. "Therapeutic effects and safety of *Rhodiola rosea* extract WS® 1375 in subjects with life-stress symptoms—Results of an open-label study." 9
- Phytotherapy Research. Vol. 26, No. 8 (2012): 1220–1225. Panossian, A., and G. Wikman. "Evidence-based efficacy of adaptogens in fatigue, and molecular mechanisms related to their stress-protective activity." *Current Clinical Pharmacology*. Vol. 4, 10. No. 3 (2009): 198–219.
- Hung, S.K., R. Perry, and E. Ernst. "The effectiveness and efficacy of *Rhodiola rosea* L: A systematic review of randomized clinical trials." *Phytomedicine*. Vol. 18, No. 4 (2011): 235–244. 11. 12
- Ishaque, S., et al. "Rhodiola rosea for physical and mental fatigue: A systematic review." BMC Complementary and Alternative Medicine. Vol. 12 (2012): 70.
- Spasov, A.A., et al. "A double-blind, placebo-controlled pilot study of the stimulating and adaptogenic effect of *Rhodiola rosea* SHR-5 extract on the fatigue of students caused by stress 13. during an examination period with a repeated low-dose regimen." *Phytomedicine*. Vol. 7, No. 2 (2000): 85–89.
- Darbinyan, V., et al. "Rhodiola rosea in stress induced fatigue—A double blind cross-over study of a standardized extract SHR-5 with a repeated low-dose regimen on the mental performance 14 of healthy physicians during night duty." *Phytomedicine*. Vol. 7, No. 5 (2000): 365–371. Shevtsov, V.A., et al. "A randomized trial of two different doses of a SHR-5 *Rhodiola rosea* extract
- versus placebo and control capacity for mental work." Phytomedicine. Vol. 10, No. 2–3 (2003): 95-105.
- 16. Udintsev, S.N., and V.P. Shakhov. "The role of humoral factors of regenerating liver in the development of experimental tumors and the effect of Rhodiola rosea extract on this process." Neoplasma. Vol. 38, No. 3 (1991): 323–331. Udintsev, S.N., and V.P. Schakhov. "Decrease of cyclophosphamide haematotoxicity by *Rhodiola*
- 17. rosea root extract in mice with Ehrlich and Lewis transplantable tumors." European Journal of Cancer. Vol. 27, No. 9 (1991): 1182.
- Bocharova, O.A., et al. "The effect of a *Rhodiola rosea* extract on the incidence of recurrences of a superficial bladder cancer (experimental clinical research)" [Article in Russian]. Urologiia I 18. Nefrologija, No. 2 (1995): 46-47.
- Gerbarg, P.L., and R.P. Brown. "Pause menopause with Rhodiola rosea, a natural selective estrogen receptor modulator." Phytomedicine. Vol. 23, No. 7 (2016): 763–769

Rhodiola SAP Science-based nutraceutical for mental fatigue and stress



INDICATION-SPECIFIC DOSAGE SUMMARY BASED ON HUMAN CLINICAL RESEARCH#

*Please note that these suggestions are guidelines based on clinical studies. Evidence for efficacy and safety has been assessed qualitatively (study quality in terms of study design, sample size, appropriate methods of analysis, use of appropriate placebo/control, bias, etc.) and has been rated using a 5-star \star rating classification.

Indication	Suggested Dosage	Supporting Evidence and study outcomes	Study design	Outcome Measures	Safety	Evidence quality rating					
Women's Health											
Menopause ¹	2 capsules/ day	Noticeable relief from somatic, psychological, and urogenital issues	Randomized, double-blind, placebo- controlled, parallel study (n=220; 12 weeks) Combination of 400 mg of <i>R. rosea</i> root and 13 mg of Black cohosh extracts/day	Kupperman Menopausal Index (KMI), Menopause Relief Score (MRS), and menopause Utian Quality of Life (UQOL) index	No adverse effects reported	***					
Mental Heal	th										
Depression ^{2, 3}	1 capsule/ day	Considerable reduction of depression and better tolerated compared to Sertraline ²	Randomized, double-blind, placebo- controlled, paralleL-group, dose-escalation study (n=57; 12 weeks) 340 mg powdered <i>R. rosea</i> extract/day (standardized to a content of 3.07% rosavins and rhodioloside 1.95%)	Hamilton Depression Rating (HAM-D), Beck Depression Inventory (BDI), Clinical Global Impression Change (CGI/C)	No adverse effects reported	***					
	2 capsules/ day	Significant decrease in mild to moderate depression symptoms ³	Preliminary open-label study (n= 45; 6 weeks) Combination of 308 mg of <i>R. rosea</i> root and 30 mg of saffron stigma extracts/day	Hamilton Rating Scale for Depression scores (HDRS)	No adverse effects reported	**					
Anxiety ^{4,5}	2 capsules/ day	Significant improvement in General Anxiety Disorder (GAD) symptoms	Preliminary open-label study (n=10; 10 weeks) 340 mg/day of <i>R. rosea root</i> extract	Hamilton Anxiety Rating Scale (HARS), the Four-Dimensional Anxiety and Depression Scale, and the Clinical Global Impressions of Severity/ Improvement Scale	No adverse effects reported	**					
	2 capsules/ day	Significant reduction of anxiety-related symptoms	Open-label, randomized, repeated measures study (n=81; 2 weeks) 400 mg of <i>R. rosea root</i> extract/day	BDI, HAM-D	No adverse effects reported	**					
Adaptogenic Effects											
Stress-related fatigue ^{67,6}	1 capsule/ day	Significant mood, cognitive performance, attention, and fatigue improvement in stress-related conditions	Randomized, double-blind, placebo- controlled, paralleL-group study (n=60; 4 weeks) 2000 mg of <i>R. rosea</i> root extract/day {144 mg of proprietary <i>R. rosea</i> extract (drug extract ratio 4:1; extraction solvent 70% ethanol)}	Montgomery-Asberg depression rating scale (MADRS)	No adverse effects reported	***					
	1 capsule/ day	Relief from fatigue	Double-blind cross-over, placebo-controlled study (n=56; 2 weeks) 170 mg of <i>R. rosea</i> extract /day	Total Fatigue Index (FI)	No adverse effects reported	***					



	1 capsule/ day	Significant improvement in general welL-being and physical fitness	Randomized, double-blind, placebo- controlled, two paralleL-group study (n=40; 20 days) 50 mg of <i>R. rosea</i> extract /day	Maze test, Tapping test, and mental fatigue test	No adverse effects reported	****				
Chronic fatigue ⁹	1 capsule/ day	Significantly improved prolonged or chronic fatigue symptoms	Uncontrolled, open-label, single-arm, multicenter study (n=100; 8 weeks) 400 mg of dry ethanolic <i>R. rosea</i> extract /day	Multidimensional Fatigue Inventory 20, Numeric Analogue Scales, Pittsburgh Sleep Quality Index (PSQI)	No adverse effects reported	**				
Burnout symptoms ¹⁰	1 capsule/ day	Clear improvement from burnout symptoms	Exploratory, open-label, multicenter, single- arm study (n= 118; 12 weeks) 400 mg of <i>R. rosea</i> extract/day Dry ethanolic (60% w/w) extract from <i>R.</i> <i>rosea</i> roots (1.5–5:1)	Maslach Burnout Inventory, Burnout Screening Scales I and II	No adverse effects reported	***				
Exercise and Sport Support										
Endurance ¹¹	1 capsule/ day	Improved endurance exercise capacity, muscle strength, and speed of limb movement	Randomized, double-blind crossover, placebo-controlled study (n=24; 4 weeks) 200 mg of <i>R. rosea</i> extract /day (3% rosavin and 1% salidroside)	Breath-by-breath ergospirometry system, Maximal isometric torque (Nm), ANOVA	No adverse effects reported	***				
Anaerobic exercise performance ¹²	3 capsules/ day	Enhanced anaerobic performance	Randomized, single-blind, counterbalanced, placebo-controlled study (n=11; 3 days) 1500 mg of <i>R. rosea</i> root extract/day (3% rosavin and 1% salidroside) {Physically active female participants} (An additional 500 mg of <i>R. rosea</i> root extract before testing)	Wingate Anaerobic Tests (WAnTs)	No adverse effects reported	***				
Redox parameters in rowers ¹³	1 capsule/ day	Significant increase in antioxidant levels	Randomized, double-blind, placebo- controlled study (n=22; 4 weeks) 200 mg of <i>R. rosea</i> extract/day (Participants – Male Polish rowing team)	Total antioxidant capacity (TAC), Superoxide dismutase (SOD) activity, thiobarbituric- acid-reactive substances (TBARS)	No adverse effects reported	***				

References:

- Pkhaladze L., et al. "Is More Effective in Combination with Rhodiola rosea L. for Relief of Menopausal Symptoms: A Randomized, Double-Blind, Placebo-Controlled Study." *Pharmaceuticals (Basel)*. No. 5 (2020 May 21): 13-102.
- 2. Mao, J.J., et al. "Rhodiola rosea versus sertraline for major depressive disorder: A randomized placebo-controlled trial." *Phytomedicine*. Vol. 22, No. 3 (2015): 394–399.
- 3. Bangratz, et al. "A preliminary assessment of a combination of Rhodiola and saffron in the management of mild-moderate depression." *Neuropsychiatric Disease and Treatment*. Vol 14. (2018): 1821-1829.
- 4. Bystritsky A., et al. "A pilot study of Rhodiola rosea (Rhodax) for generalized anxiety disorder (GAD)." J Altern Complement Med. Vol. 80, No. 2 (2008 Mar): 14-175.
- 5. Cropley M., et al. "The Effects of Rhodiola rosea L. Extract on Anxiety, Stress, Cognition and Other Mood Symptoms." *Phytother Res.* Vol. 9, No. 12 (2015 Dec): 29-1934.
- Olsson E.M., et al. "A randomized, double-blind, placebo-controlled, paralleL-group study of the standardized extract shr-5 of the roots of Rhodiola rosea in the treatment of subjects with stress-related fatigue." Planta Med. Vol 12, No. 2(2009 Feb): 75-105.
- 7. Darbinyan V., et al. "Rhodiola rosea in stress induced fatigue--a double blind cross-over study of a standardized extract SHR-5 with a repeated low-dose regimen on the mental performance of healthy physicians during night duty." *Phytomedicine*. Vol. 71, No. 5 (2000 Oct): 7-365.
- 8. Spasov A.A., et al. "A double-blind, placebo-controlled pilot study of the stimulating and adaptogenic effect of Rhodiola rosea SHR-5 extract on the fatigue of students caused by stress during an examination period with a repeated low-dose regimen." *Phytomedicine*. Vol. 9, No. 2 (2000 Apr): 7-85.
- 9. Lekomtseva Y., et al. "Rhodiola rosea in Subjects with Prolonged or Chronic Fatigue Symptoms: Results of an Open-Label Clinical Trial." *Complement Med Res.* Vol. 52 (2017): 24-46.
- 10. Kasper S., Dienel A. "Multicenter, open-label, exploratory clinical trial with Rhodiola rosea extract in patients suffering from burnout symptoms." *Neuropsychiatr Dis Treat*. Vol. 898 (2017 Mar 22): 13-889.
- 11. De Bock K., et al. "Acute Rhodiola rosea intake can improve endurance exercise performance." Int J Sport Nutr Exerc Metab. Vol. 307, No. 3 (2004 Jun): 14-298.
- 12. Ballmann C.G., et al. "Effects of short-term Rhodiola Rosea (Golden Root Extract) supplementation on anaerobic exercise performance." J Sports Sci. Vol. 1003, No. 9 (2019 May): 37-998.
- 13. Skarpanska-Stejnborn A., et al. "The influence of supplementation with Rhodiola rosea L. extract on selected redox parameters in professional rowers." Int J Sport Nutr Exerc Metab. Vol. 99, No. 2 (2009 Apr): 19-186.